# Quotation List

From: Shenzhen Linktrend Technology Limited
Add:Flat 606, JinLiHua Commercial Building, GongYuan Road, Baoan 31st District,Shenzhen,Guangdong,China.
ATTN: Ms Shilly Tell: 86-0755-23703321 mobile:86-(0)13510525187 Fax:86-0755-27212311
MSN:shilly168@outlook.com skype:shilly168 trade manager:linktrend yahoo messenger ID: asiashuttle168

**date:2014-01-01**

| Item No. | Model No. | Photo | Description | standard configuration | unit price (USD) | QTY (pcs) | remarks |
|---|---|---|---|---|---|---|---|
| 1 | CE4 blister | | ego t Battery capacity: 650mah/900mah/1100mah<br>Resistance: 1.8ohm/2.4ohm<br>battery color: black,white,blue,green,golden,silver,stainless steel,red,pink,purple<br>eGo T Normal working voltage: 3.3V-4.2V<br>Each cartomizer can keep:700puffs<br>CE4 Atomizer capacity: 1.6ml<br>wick: with wick ,without wick<br>CE4 atomizer Color: transparent/grey/pink/blue/ green/red/yellow/ black battery life: 300 times recharging<br>Certificate:CE.ROHS | CE4 blister 1 kit : inlcuding: 1 pcs CE4 clearomizer (empty), 1pcs of ego t battery, 1pcs USB charger, 1pcs of blister packing | | 5 sets | MOQ |
| | CE4 zipper ego box 2 kits | | | CE4 zipper ego box 2 kits : inlcuding: 2 pcs CE4 clearomizer (empty), 2 pcs of ego t battery, 1 pcs wall adapter,1pcs USB charger, 1pcs of zipper ego box,1 pcs e-liquid bottle ,1 pcs user manual | | 5 sets | MOQ |
| 2 | ego t battery | <br> | ego t battery :650mah/900mah/1100mah<br>Resistance: 1.8ohm/2.4ohm<br>battery color: black,white,blue,green,golden ,silver,stainless steel,red,pink,purple<br>eGo T normal working voltage: 3.3V-4.2V<br>Each cartomizer can keep:700puffs<br>battery life: 300 times recharging<br>Certificate:CE.ROHS | 1pcs in a PE bag, 5 pcs in a white netrual box | | 5 sets | MOQ |
| 3 | GS-h2 blister 1 kit | <br> <br> | name: GS-H2 blister packing<br>model:GS-H2<br>gs h2 Diameter: 14mm<br>Warranty: 12 month<br>Voltage range: 3.3v-4.2v<br>Charge time: 2-3 Hours<br>Puffs: 800-1300puffs<br>Colors: blue,green,black,purple,white .<br>Size L: 134mm/146mm/156mm; W: 14mm<br>eGo Battery Capacity 350/ 650/ 900/ 1100/ 1300 mAH Lithium , 3.2V - 4.8V<br>Battery Charging life:400 Cycles<br>eGo Battery Cell:HGB A Level Battery Cell<br>Clearomizer fitted:CE4/CE4+/CE5/CE5+/iclear30 /iclear16 gs h2 with Cap<br>Clearomizer Resistance:2.0-2.8 ohm | blister packing, 1 kit blister including 1x GS-H2 atomier,1x900mah battery,1xUSB charger | | 5pcs | MOQ |
| | | | | | | 6-49 pcs | |
| | | | | | | 50-99 pcs | |
| | | | | | | 100-499 | |
| | | | | | | 500-1000 pcs | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 4 | **E-luv slim ecig kit** | <br> | model:E-luv slim e-cig kitE1.<br>specifications: size :136*11MM<br>2. battery capacity：300MAH<br>3.E-luv atomizer capacity:1.3ml<br>4.working voltage:3.7v<br>5.battery recycle life:300 times<br>6.puffs:450 puffs<br>7.weight:90g 8.colorful optional<br>9.blister packing or gift packing optional | one E-luv slim ecig kit including:<br>1xpc battery<br>1xpc atomizer<br>1xpc USB adapter | | 5 | MOQ |
| | | | | | | 6-99 | |
| | | | | | | 100-499 | |
| | | | | | | 500-1000 | |
| 5 | **ego W gift packing 2 kits** | <br> | **name: ego w gift packing 2 kits<br>model:ego w<br>Battery capacity:650mah/900mah/1100mah<br>Size: L136*D14mm Color: black, sliver, red,blue, optional Atomizer Capacity: 2.0ml/ working voltage:3.3v-4.2v Resistance: 2.2-2.6ohm charger time:2-3 hours<br>Battery Life: >400 cycles 500 puffs, 700 puffs if full chargerd<br>Fitted Model: 510,eGo-T,eGo-C,eGo-W, etc** | ego w gift 2 kits including:ego W atomizer:2*pc;<br>ego w battery:2*pc,<br>USB charger:1*pc;<br>wall charger:1*pc,<br>e-liquid empty bottle:1*pc, gift packingcase:1*pc,<br>EN user manual:1*pc | | 5 pcs | MOQ |
| | | | | | | 6-49 | |
| | | | | | | 50-99 | |
| | | | | | | 100-499 | |
| | | | | | | 500-1000 | |
| 6 | **ego c gift packing 2 kits** | | **name: ego C gift packing 2 kits<br>model:ego C<br>colors:black, stainless steel<br>puffs: 500 puffs, 700 puffs if full chargerd battery capacity: 650mAh 9000mAh 1100mah<br>charging time: 2-3hours Weight of single e-cigarette: 300 g(650mah)<br>product size: 144mmx14mm** | ego C gift packing include: ego c battery 2 pcs (650mA/900mah/1100mAh);<br>Cartridge 5 pcs<br>Atomizer head:5 pcs<br>Wall Adapter 1pc /USB cable:1pc /manual(EN):1pc | | 5 pcs | MOQ |
| | | | | | | 6-49 | |
| | | | | | | 50-99 | |
| | | | | | | 100-499 | |
| | | | | | | 500-1000 | |
| 7 | **ego T (gift packing 2 kits** | <br> | **name: ego-T<br>Length 79mm<br>Diameter 14mm<br>Resistance 2.4-2.6ohm<br>Weight 20g<br>Color clear,black,purple,red,blue,green,yellow<br>Metal Material Copper,Tube Material PC<br>style: bottom coil clearomizer<br>Capacity: 3.0ml<br>Length: 79mm Diameter:: 14mm<br>Battery: Compatiable with eGo,510 Series e-cigarette<br>1.All parts can replaceable;<br>4.Easy to Clean;** | eGo-T gift packing or ego zipper case, one set standard configurations: normal Tank Atomizer :2pcs, USB wall charger:1pc, USB charger :1pc, battery:2 pcs, Tank cartridges:5 pcs, English user manual;1 pc, Gift box: 24*10*4cm/G.W. gift box: 330g | | 5 pcs | MOQ |
| | | | | | | 6-49 | |
| | | | | | | 50-99 | |
| | | | | | | 100-499 | |
| | | | | | | 500-1000 | |
| 8 | **passthrough ego battery** | | **ego passthrough battery**<br>:650mah/900mah/1100mah<br>Resistance: 1.8ohm/2.4ohm<br>battery color: black,stainless steel, pink,blue, white,purple<br>eGo T normal working voltage: 3.3V-4.2V<br>Each cartomizer can keep:700puffs<br>battery life: 300 times recharging<br>Certificate:CE.ROHS | ego passthrough battery kit including: 1 pcs battery, 1 pcs USB charger | | 5 | MOQ |
| | | | | | | 6-49 | |
| | | | | | | 50-99 | |
| | | | | | | 100-199 | |
| | | | | | | 200-500 | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **9** | **ego Q battery** | | **model:ego Q battery**<br>specifictations:<br>Battery capacity:<br>650/900/1100mAh<br>battery life: 300 times recycle<br>Certificate:CE.ROHS,FCC<br>ego q battery color: multicolor as picrture | 1 pc by a carton box | | 5 | MOQ |
| **10** | **ego K battery** | | **model:ego K battery**<br>specifictations:<br>Battery capacity:<br>650/9001100mAh<br>battery life: 300 times recharging<br>Certificate:CE.ROHS<br>ego k battery color: multicolor as picrture<br>weight for ego k/ego k battery :40g | 1 pc by a carton box | | 5 | MOQ |
| **11** | **ego vv viarable voltage passthrough ego battery** | <br> | **model:ego V V battery**<br>ego v v battery specifications:<br>battery Capacity:<br>650mah/900mah/1100 optional<br>Variable voltage: 3.v-6.0v<br>Length: 115mm;size:l15*D14mm ;working voltage: 3.0-6.0 V ;<br>charging time: 2-3hours ;<br>suit for:All atomizer with 510 thread/ego thread<br>features:with very great vapor,charge directly from bottom<br>color: black,stainless steel and silve; | gift packing , including eGo-V battery:1 xpc. USB charger:1xpc user manual:1 xpc | | 5 | MOQ |
| **12** | **ego V LED ego battery** | | **model:ego LED ego battery specifications:**<br>Capacity: 650/900/1100mah<br>Variable voltage: 3/3.5/4v<br>Design: with LED show(3.5v:red; 4.0v:red&blue,4.5v:blue)<br>working voltage: 3.7V ;<br>charging time: 2-3hours ;<br>suit for:All atomizer with 510 thread/ego thread<br>features;with very great vapor,charge directly from bottom,<br>colors: stainless stell, black. | (1pcs in PE bag,then each 5pcs in 1 box,box size :78x78x16mm | | 5 | MOQ |
| 13 | **ego LCD ego battery** | <br> | **model:ego LCD battery specifications :**<br>Capacity: 650/900/1100mah<br>Diameter: 14mm ;<br>working voltage: 3.7V ;<br>charging time: 2-4hours ;<br>Length: 58/167/177mm<br>features;the LCD at the end of the battery indicating the remaining battery life and puffs,resistence:2.2-2.6ohm<br>length: 139mm(650mAh)/154mm(900mAh);/164mm(1100mAh) ;<br>thread: 511; ego thread ;<br>colors:black,stainless steel | (1pcs in PE bag,then each 5pcs in 1 box,box size :78x78x16mm | | 5 | MOQ |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 14 | **ego c twist variable voltage ego battery** | | | 1 pc by a carton box | | 5 | MOQ |
| **15** | **CE4+ego c twist blister kit** | | **ego C twist variable voltage Battery specifications:**<br>Diameter：14mm<br>Power Capacity：650mah/900mah/1100mah<br>Working Voltage： Input 100-240V Output 4.2V Variable Voltage 3.2V-4.8V eGo twist e-cigs<br>700 puffs ,Full Charging： 1100 puffs<br>features:5clicks on/off, High Performance colors available:black, wine red,blue,stainless steel,black,silver,purple | inlcuding: 1 pcs CE4 clearomizer (empty), 1pcs of ego c twist variable voltage battery, 1pcs USB charger, 1pcs of blister packing | | 5pcs | MOQ |
| | | | | | | 6-49pcs | |
| | | | | | | 50-99pcs | |
| | | | | | | 100-199pcs | |
| | | | | | | 200-499 pcs | |
| | | | | | | 500-2000 pcs | |
| **16** | **CE4+ego c twist 2 kits** | <br>**zipper ego box** | | inlcuding: 2 pcs CE4 clearomizer (empty), 2 pcs of ego c twist variable voltage battery, 1 pcs wall adapter,1pcs USB charger, 1pcs of gift packing box ,1 pcs user manual | | 10pcs | MOQ |
| | | | | | | 11-49pcs | |
| | | | | | | 50-99pcs | |
| | | | | | | 100-199pcs | |
| | | | | | | 200-499 pcs | |
| | | | | | | 500-2000 pcs | |
| **17** | **GS EVOD 1 kit blister pack (Colors: Black, Red,Stainless steel, Blue.etc)** | | **GS-EVOD blister kit specifications:**<br>Battery capacity: 650mah<br>Screw thread: eGo/510 thread<br>Coil Type: Bottom Coil Replaceable<br>Evod Capacity: 1.5ml<br>Coil Head:Changeable, bottom coil, easy to change<br>working voltage 3.2V - 4.8V<br>eVod Battery Function:3 LED Color Power Level Indicator (Red, Yellow, Green)<br>Bottom Coil Rechangeable/Clearomizer<br>Resistance: 1.8-2.8 ohm | 1pc EVOD battery(650mAh),<br>1pc EVOD clearomizer(1.8/2.4/2.8ohm),<br>1pc USB charger,<br>Blister packing. | | 5 | MOQ |
| | | | | | | 6-49 | |
| | | | | | | 50-99 | |
| | | | | | | 100-499 | |
| | | | | | | 500-1999 | |
| **18** | **YY1 YY1 2600mah battery e-cig super set** | | **Model Number: YY1 kits specifications:**<br>Battery capacity: 2600mah battery<br>battery Colors: Blue, Gold, Silver<br>Material: Aluminum , Copper<br>Smoking Output Voltage: 3.0-4.2v<br>fit for: 510 thread atomizer like vivi nova ,ce4/ce5<br>USB Charging Voltage: 5V±0.2V<br>1.Samsung 2600mah battery<br>2.Three colors LED indicator<br>3.Smoking while charging mobile<br>Features & dvantages:<br>1. SAMSUNG 2600mah capacity electronic cigarette battery<br>2. PICC Insurance<br>3. E cigarette and power bank design, smoking while charging your mobile phones | YY1 super set including:<br>1 pc YY1 battery<br>2 pcs ce4 atomizer<br>1 pc micro USB charger<br>1 pc mini wall charger<br>1 pc needle bottle<br>1 pc gift box<br>1 pc user manual<br>320g | | 5 pcs | |
| | | | | | | 6-49 | |
| | | | | | | 50-99 | |
| | | | | | | 100-499 | |
| | | | | | | 500-2000 | |
| **19** | **YY1 2600mah battery e-cig standard set** | | | YY1 standard kit including:<br>1 pc YY1 battery<br>1 pc ce4 atomizer<br>1 pc micro USB charger<br>1 pc gift box<br>1 pc user manual<br>220g | | 1--5 pcs | |
| | | | | | | 6-49 | |
| | | | | | | 50-99 | |
| | | | | | | 100-499 | |
| | | | | | | 500-2000 | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| | | | **product name: igo 3**<br>**Model Number:igo3**<br>Specifications:<br>style:multi-functional circular touch charging E-Cigarette<br>igo 3 could be myriad compatible for CE4,CE6,510 thread<br>Features:<br>Length of the electronic cigarette: 138mm<br>Diameter of the electronic cigarette: 14mm<br>Length of the battery: 80.7mm<br>Diameter of the battery: 14mm<br>Battery capacity: 650mAh<br>Full battery can keep for 650 puffs | | | 10 pcs | MOQ |
| **20** | **igo 3 e-cig starter kits** | | | battery*2pcs<br>ce4 atomizer*2pcs<br>adapter*1pcs<br>USB cable*1pcs<br>circular charger*1pcs<br>bottle*1pcs<br>manual*1pcs<br>gift box*1pcs | | 11-99 | |
| | | | | | | 100-199 | |
| | | | | | | 200-499 | |
| | | | | | | 500-2000 | |
| | | | **Model Number:igo4**<br>**Specifications:**<br>style:multi-functional circular touch charging E-Cigarette<br>igo 4 could be myriad compatible for CE4,CE6,510 thread<br>Features:<br>1.LED display(the LED displays the remaining electronic capacity and the puffs you take).<br>2.LED battery lights(when you press the button,the LED light shows blue)<br>3.PU glossy process(its shell applies PU glossy process that highlights the style of the king)<br>4.Automatic temperature sensing(the sensor can automatically sense the temperature of electronic heating wire in the atomizer)<br>Specifications:<br>Full battery can keep for 1000puffs<br>battery capacity 750mah<br>Packing size 151 * 106 * 57mm<br>lighter display three colors<br>overcharging protection microchip to pr<br>low-voltage protection available<br>Excessive smoking protection available<br>OEM welcome | | | 10pcs | MOQ |
| **21** | **touch charging multi-protections igo 4 e-cigarette kits** | | | igo 4 ce4 starter kit includes: (CE6 atomizer is optional,2usd added for ce6 atomizer)<br>CE4 atomizer*2pcs<br>battery*2pcs<br>USB cable*1pcs<br>adapter*1pcs<br>circular charger*1pcs<br>bottle*1pcs user manual*1pcs<br>special gift packing*1pcs | | 6-49 | |
| | | | | | | 50-99 | |
| | | | | | | 100-499 | |
| | | | | | | 500-999 | |
| | | | | | | 1000-5000 | |
| | | | **model number: Zmax V2**<br>**Zmax V2 Brief: 1.Variable voltage 2.Mini body,easy carry 3.Various color available 4.RMS&MEAN 5. 510&ego thread 6. OLEDE digital display Specifications:**<br>SIGELEI Zmax V2 is a variable Voltage/Wattage mod that can be used with either one 18350 or one 18650 battery.<br>It can deliver 3.0 to 6.0 Volts or 3.0 to 15.0 Watts.<br>Material: stainless steel/aluminum (for the colorful ones)<br>Thread: 510 and ego thread<br>Resistance check /Battery status/RMS&MEAN Voltage<br>Press 5 times continuously to turn on/off the mod.<br>Press 3 times to browse the menu when the screen has shut down.<br>Choose the menu, wait 2 seconds to get into it and set the item; 2 seconds are needed to get it set and another 2 seconds are required to exit the menu.<br>The menu always starts from 'OUT ON/OFF'./voltage up/voltage down/battery voltage/LCD display/LCD power voltage/RMS & MEAN | | | 20 pcs | MOQ |
| **22** | **Tmax V2** | | | Tmax V2 including:<br>1xpc Zmax V2 body<br>1xpc clearomizer<br>2xpcs batteries<br>1xpc charger<br>1x pc English manual<br>1x pc gift box or 1x ego zipper case | | 21-49 | |
| | | | | | | 50-99 | |
| | | | | | | 100-499 | |
| | | | | | | 500-999 | |
| | | | | | | 1000-5000 | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 23 | **Tmax V5 kits** | | **model number:Tmax V5**<br>**SIGELEI Tmax V5 is the improved one for Tmax with bigger OLED showing three items at the same time and it can also charge the mobile phone.**<br>**It can deliver 3.0 to 6.0 Volts or 3.0 to 15.0 Watts.**<br>specifications:<br>Material: stainless steel and aluminum<br>Thread: 510&ego thread<br>Battery: 18350/18650<br>Charge cellphone<br>Resistance check<br>Battery status<br>RMS&MEAN Voltage<br>Smoking time check<br>Current display<br>Output voltage display<br>The menu has 9 different functions:<br>1. ADD VOLT /2. DEC VOLT/3. LOCK OUT/4. RESISTAN/5. DISPLAY/6. VOLT&POWER/7. RMS&MEAN/8.To charge the mobile phone | Tmax V5 including:1 xpc body<br>1 xpc clearomizer<br>2 xpcs batteries<br>1x pc charger<br>1x pc mobie charger adaptor<br>1x pc English manual<br>1x pcgift box or 1x pc ego zipper case | | 20 pcs | MOQ |
| | | | | | | 21-49 | |
| | | | | | | 50-99 | |
| | | | | | | 100-499 | |
| | | | | | | 500-999 | |
| | | | | | | 1000-5000 | |
| 24 | **Legend mod** | | **model number: Legend**<br>**Zmax V2 Brief:**<br>stainless steel,510/ego thread.<br>It can fit 18350/18650 battery with different tubes.<br>Smart mod with Gravity Sensing System.<br>Larger screen size, more comfortable to read the on-screen data.<br>Popular design with venting holes for air flow.<br>Adjustable voltage(3-6v) and wattage(3-15w), also the smoking time(5-20s).<br>It can show the atomizer's resistance, voltage/wattage, smoking time, smoking puffs and battery power at the same time.<br>New function of charging the mobile phone. | Legend mod kits including: 1x pc control assembly head<br>1 xpc clearomizer,<br>2 x pc tubes, 1x pc mobile charger adapter<br>2x pc batteries<br>1x pc charger<br>1x pc English manual<br>1 xpc gift box or 1 x pc ego zipper case | | 20 pcs | MOQ |
| | | | | | | 21-49 | |
| | | | | | | 50-99 | |
| | | | | | | 100-499 | |
| | | | | | | 500-999 | |
| | | | | | | 1000-5000 | |
| 25 | **Vamo V2** | | **model number: Vamo V2**<br>**Vamo V2 Brief:**<br>1.vamo V2 : 1.5Amps current<br>2.Protection against short-circuit<br>3.Output Voltage:3.0~6.0v<br>4.18350,18650battery<br>battery:1pc18650 or 2pcs18350 battery<br>charging time:2-5 hours<br>size;L105*D23 mm<br>working voltage:3.0-6.0V<br>available resistence;1.5ohm-3.2ohmz<br>steel,black,shinny stainless<br>screw fitted;510, can use CE4.CE5,MT3,H2,H5.vivi nova atomizer<br>Features:<br>1 Support 3ohms to 1.5ohm load<br>2 Static current: <350Ua; 200uA typically<br>3 Vaporing current: <3.2A; the maximum input operating current is 5As.<br>4 Constant voltage and constant power output. When the battery is fully charged, the output voltage is 6V for 3ohms, 4.5V plus for 1.5ohm; when two batteries are working, the output voltage is 6V for 1.5ohm. | Vamo V2 kits including: 1x pc vamo body<br>1x pcs CE4 clearomizer<br>2x pcs batteries 18350 (900mah)<br>1 xpc charger<br>1x pc English manual<br>1 xpc gift box<br>or 1x pc ego zipper case | | 20 pcs | MOQ |
| | | | | | | 21-49 | |
| | | | | | | 50-99 | |
| | | | | | | 100-499 | |
| | | | | | | 500-999 | |
| | | | | | | 1000-5000 | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **26** | **Vamo V3** | | **model number: Vamo V3**<br>**Main introduction of Vamo V3:**<br>working voltage from 3.0V to 6.0V,<br>Can test Atomizer's resistance, and Display voltage, power,<br>Fit atomizers with resistance 1.5~5.0ohm.<br>Can work with 1pc 18650 battery or 1pc 18350 or 2pcs 18350 battey.<br>Protected function.<br>Output power 3W—15W.<br>Variable voltage.<br>510 connector.<br>OLED screen can be ON when working<br>display "short"when Vamo V3 is short circuit | Vamo V3 kits including:<br>1x pc vamo body<br>1x pcs CE4 clearomizer<br>2x pcs batteries 18350 (900mah)<br>1 xpc charger<br>1x pc English manual<br>1 xpc gift box<br>or 1x pc ego zipper case | | 20 pcs | MOQ |
| | | | | | | 21-49 | |
| | | | | | | 50-99 | |
| | | | | | | 100-499 | |
| | | | | | | 500-999 | |
| | | | | | | 1000-5000 | |
| **27** | **newest Epipe K1000** | | **model:E pipe K1000**<br>**specifications:**<br>battery capacity:900mah working voltage:3.7v<br>charge time:3.5-4 hours<br>battery life time:300 times<br>full battery for:800-1000 mouthfuls<br>color:Green, silver , purple, pink, black, red, blue warranty:6 months | epipe K1000 kits including:2XPCS 18350 Battery/1XPC K1000 atomizer /1XPC Charger /1xpc user manual/1xpc zipper case | | 20 pcs | MOQ |
| | | | | | | 21-49 | |
| | | | | | | 50-199 | |
| | | | | | | 200-500 | |
| **28** | **newest K800** | | model:K800<br>specifications:<br>atomizer capacity:4ml battery capacity:650mah working voltage:3.7v<br>charge time:2-4 hours atomizer puffs:530-590 puffs<br>battery life time:300 times<br>full battery for:800-1000 mouthfuls<br>warranty:6 months | k800 kits including:2xpcs battery/ 1xpc K800 atomizer/ 1xpc USB charger/ 1xpc user manual/1xpc gift box | | 20 pcs | MOQ |
| | | | | | | 21-49 | |
| | | | | | | 50-199 | |
| | | | | | | 200-500 | |
| **29** | **newest torpedo shape K300** | | model:K300<br>specifications:<br>Adjust the battery capacity, 900mah or 2000mah.<br>atomizer capacity:3ml battery color;Silver, Gold, Black, Purple, Blue<br>1.all Machine Made, all-metal material, powerful and man style<br>2.oxidation process, never fade<br>3.Adjust the battery capacity, 900mah or 1100mah.<br>4.torpedo shape, many colors | Battery: 2pcs(18650)<br>Charger: 1PC<br>Battery Body:1 pc<br>atomizer: 1pc<br>atomizer cover:1pc<br>Manual:1PC<br>K300 CASE<br>packing: 1pc | | 20 pcs | MOQ |
| | | | | | | 21-49 | |
| | | | | | | 50-199 | |
| | | | | | | 200-500 | |
| **30** | **x6 ecig kits** | | **model:x6 ecig kits**<br>**specifications:**<br>Variable Voltage from 3.2V-4.8V<br>Battery: 1300mAh<br>Battery Life: 300 times | X6 kits including:<br>1xpc Battery<br>1x pc of Colorful X9 Atomizer<br>1xpc Charger<br>1xpc wall adapter<br>1xpc user Manual<br>1x pc of X6 CASE<br>packing | | 20 pcs | MOQ |
| | | | | | | 21-49 | |
| | | | | | | 50-199 | |
| | | | | | | 200-500 | |
| **31** | **newest K102** | | **model:K102 ecig kits**<br>**specifications:**<br>Battery Capacity: 2000mAh<br>input voltage;3.7v<br>output voltage:3.7v<br>charge time:3-5 hours Color: Green/Blue/Black/Red//Light Blue<br>atomizer capacity:3ml<br>made by aluminum<br>match with 18650 | K102 ecig kits including:<br>2xpcs Battery: (18650)/1xpc Charger /1xpc K102 Body /1xpc K102 atomizer /<br>1xpc user Manual<br>1xpc K102 CASE<br>packing | | 20 pcs | MOQ |
| | | | | | | 21-49 | |
| | | | | | | 50-199 | |
| | | | | | | 200-500 | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| **32** | **newest X7 bamboo ecig kits** | | **model no.:X7**<br>**specifications;**<br>colors:yellow & grreen<br>size;195*92*48mm<br>input voltage:5v<br>Battery puffs: 900-1700puffs<br>battery capacity:900mah<br>Charging time: 3-5hours | 1xpc<br>Battery:(14500) /1xpc charger/ 1xpc battery body /1xpc CE4 atomizer /1xpc<br>Charger: 1PC<br>Battery Body:1pc<br>ce4 atomizer: 1pc<br>1xpc user manual/ 1xpc case packing | | 20 pcs | MOQ |
| | | | | | | 21-49 | |
| | | | | | | 50-199 | |
| | | | | | | 200-500 | |
| **33** | **K100-101 kits** | | model: K100-101 kits<br>specifications:Input voltage: 3.7V<br>Output voltage: 3.7V-7.2V<br>Telescopic Design Battery:The length of this tube varies with your demand for vapor.For large vapor, long and large capacity battery is your best choice; for regular vapor, short and less capacity battery will be your favorite.<br>Battery: 2000mAh, 900mah<br>Battery Life: 300 times<br>aluminum material | K100-101 kits including: 2xpcs Battery /1xpc charger/1xpc K100-101 battery body /2xpcs cartomizer /1xpc charger/ 1xpc user manual/ 1xpc ego case packing | | 20 pcs | MOQ |
| | | | | | | 21-49 | |
| | | | | | | 50-199 | |
| | | | | | | 200-500 | |
| **34** | **KTS ecig kits** | | model no.: KTS ecig kit<br>specifications:<br>Telescopic Design Battery<br>Battery: 2000mAh, 900mah<br>Battery Life: 300 times<br>Input voltage: 3.7V<br>Output voltage: 3.7V~7.2V<br>Charging time: 3~5 hours | kts ecig kits including: 2xpcs Battery / 1xpc charger/ 1xpc battery body/ 1xpc X8 or X6 atomizer / 1xpc user manual /1xpc ego case packing | | 20 pcs | MOQ |
| | | | | | | 21-49 | |
| | | | | | | 50-199 | |
| | | | | | | 200-500 | |
| **35** | **GT-S variable voltage & variable wattge 2400mah starter kit** | | **model:GT-S**<br>product name:GT-S Electronic Cigarette<br>Model Number: gt-s<br>Battery: 18350 Battery 2pcs/18650 battery 1 pcs<br>Material: Stainless<br>Display Sreeen: OLED Screen<br>features: Gravity Sensor Shake Control System<br>Color: Stainless, Black Watt: 3.0-15.0W Voltage: 3.0-6.0V | GT-S starter kit including:<br>1* GT-S Giftbox<br>1* GT-S Stainless Battery Tube<br>1* 18650 Batteries<br>1* Battery Universal Charger<br>1*connecting adapter for USB charger | | 20 pcs | MOQ |
| | | | | | | 21-49 | |
| | | | | | | 50-99 | |
| | | | | | | 100-199 | |
| | | | | | | 200-499 | |
| | | | | | | 500-1000 | |
| **36** | **618 E-pipe gift packing 1 kits** | | **E pipe specifications:**<br>size:L156xD41.7Dmm battery capacity: 3.7V,900mAh battery capacity;800-1000 puffs<br>cartomizer life;30,000 puffs<br>battery life;350 times | e pipe ecig kits including;1xpc Pipe Body 1 pc /2xpcs Inhaler/2xpcs Battery 2 pc/2xpc cartomizer/1xpc wall charger/1xpc user manual/1xpc gift box | | 50 pcs | MOQ |
| | | | | | | 51-199 | |
| | | | | | | 200-499 | |
| | | | | | | 500-1000 | |

***notes:***

**1,All these price based on FOB SHENZHEN.**

**2,Price valid date within 30days.**

**3,all price base on exchange rate 6.1.**

**4,Warranty for electronic cigarette:we have 12 months warranty for battery,6 months for atomizer.**

5,Delivery time: Within 3-7 working day after received payment under T/T, Paypal, West Union.

6,Certificate: CE/FCC/ROHS